

**TPMS - fitment guide**

The listed TPMS sensors with metal valves are approved for the shown alloy wheels.  
Snap-in valves (rubber valves) are not approved!

The mounting instructions of the TPMS system have to be respected!

\*Useability of the VDO REDI-Sensor depends on the tire not on the rim contour! More technical information can be found under [www.vdo.de](http://www.vdo.de)



TPMS approved	O
TPMS not approved	X

Date: 10.05.2019/Widua

Manufacturer	Original Equipment Manufacturer Sensors (OEM)														Aftermarket Sensors																			
	Schrader								VDO			Pacific			Alligator				HUF							CUB	Schrader	Schrader	VDO					
Name	SEL Gen2/ Gen3	SEL Gen2/ Gen3	SEL Gen2/ Gen3	SEL Gen Alpha 2	SEL Gen J	SEL Gen Gamma	SEL Gen Delta	SEL clamp-in GEN4	TG1C	TG1B	TG1MB	Toyota/ Lexus	42607-30060 Toyota/ Lexus	40700-1LA00 Nissan	40700-1LLOC Nissan	RS3 sens. It 43mm	RS3 sens. It 48mm	RS3 sens. It 49mm	RS3 sens. It 51mm	BBS Ventil Ø8mm	TYP 2.4 43mm	TYP 2.4 48mm	TYP 2.4 49mm	TYP 2.4 51mm	BBS Ventil Ø8mm	TYP 3.4 43mm	TYP 3.4 48mm	TYP 3.4 49mm	TYP 3.4 51mm	BBS Ventil Ø8mm	UNI SENSOR	EZ Typ 2000 clamp-in bis KW35/14	EZ Typ 2020 clamp-in ab KW35/14	REDI Sensor*
Specialty	Angle 10° conical gasket	Angle 20° thicker gasket	Angle 20° conical gasket	Angle adjust-able	Angle not adjust-able	Angle adjust-able	Angle adjust-able	Angle not adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle not adjust-able	Angle not adjust-able	Angle not adjust-able	Angle not adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle not adjust-able	Angle not adjust-able	Sensor is stuck in the tire
Order number	3043	3004	3040	3015	3055	3013	3057	3024	TPMS application-area www.vdo.de	TPMS application-area www.vdo.de	TPMS application-area www.vdo.de	unknown	42607-30060	40700-1LA00	40700-1LLOC	Sensor: 590914 Valve: 590906	Sensor: 590914 Valve: 590307	Sensor: 590914 Valve: 590387	Sensor: 590914 Valve: 590357	BBS-Valve: 0915094	100108	Sensor: 100108 Valve: 100074	Sensor: 100108 Valve: 100075	Sensor: 100108 Valve: 100301	BBS-Valve 0915094	100053	Sensor: 100053 Valve: 100074	Sensor: 100053 Valve: 100075	Sensor: 100053 Valve: 100301	BBS-Valve 0915094	sl: V562U0035 sw: V562U0038	EZ-Sensor: 2000	EZ-Sensor: 2020	REDI-V1: S180211001Z REDI-V1.1: S180211011Z REDI-V2: S180211002Z REDI-V3: S180211003Z
Sensor number	1	2	3	4	5	6	7	8	20	21	22	40	41	42	43	100	101	102	103	104	110	111	112	113	114	120	121	122	123	124	130	140	141	150

**Forged Line**

**FI Forged**

8,75 x 19	X	X	X	O	O	O	O	O	O	O	O	O	X	O	O	O	O	X	X	X	O	O	X	X	X	O	O	O	X	X	O	O	O	O	O	O
9,5 x 19	X	X	X	O	O	O	O	O	O	O	O	O	X	O	O	O	O	X	X	X	O	O	X	X	X	O	O	O	X	X	O	O	O	O	O	O
10,5 x 19	X	X	X	O	O	O	O	O	O	O	O	O	X	O	O	O	O	X	X	X	O	O	X	X	X	O	O	O	X	X	O	O	O	O	O	O
11,25 x 19	X	X	X	O	O	O	O	O	O	O	O	O	X	O	O	O	O	X	X	X	O	O	X	X	X	O	O	O	X	X	O	O	O	O	O	O
12,0 x 19	X	X	X	O	O	O	O	O	O	O	O	O	X	O	O	O	O	X	X	X	O	O	X	X	X	O	O	O	X	X	O	O	O	O	O	O
8,75 x 20	X	O	X	O	O	O	O	O	O	O	O	O	X	O	O	O	O	X	X	X	O	O	O	O	X	O	O	O	O	O	O	O	O	O	O	O
9,5 x 20	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	O	X	X	X	O	O	O	X	X	X	X	X	X	X	O
10,5 x 20	X	X	X	O	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	O	X	X	X	O	O	O	X	X	X	X	X	X	X	O
10,75 x 20	X	X	X	O	O	O	O	O	O	O	O	O	X	O	O	O	O	O	X	X	O	O	O	O	X	O	O	O	O	O	O	O	O	O	O	O

**FI-R Forged**

9,5 x 19	O	X	X	X	X	O	O	X	O	O	O	X	X	X	X	O	X	O	X	X	O	X	O	X	X	O	X	X	X	X	X	O	O	O	O	O
10,5 x 19	O	X	X	X	X	O	O	X	O	O	O	X	X	X	X	O	X	O	X	X	O	X	O	X	X	O	X	X	X	X	X	X	O	O	O	O
9 x 20	X	X	O	X	X	X	X	X	X	X	X	X	X	X	X	O	O	X	X	X	O	O	X	X	X	O	O	O	X	X	X	X	X	X	X	O
9,5 x 20	O	X	X	O	X	O	O	O	X	O	O	O	X	O	O	O	X	O	X	X	O	O	X	X	X	O	O	O	X	X	X	X	X	X	O	O
10,5 x 20	O	X	X	O	X	O	O	O	X	O	O	O	X	O	O	O	X	O	X	X	O	O	X	X	X	O	O	O	X	X	X	X	X	X	O	O
12 x 20	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	O	X	X	X	X	X	X	X	O	O	O	X	X	X	X	X	X	X	X	O

**LM (2tlg.) Forged**

7,5 x 17	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X	X	X	O	X	X	X	X	X	X	X	X	X	O	
8,5 x 18	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X	X	X	O	X	X	X	X	X	X	X	X	X	X	O
9 x 18	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X	X	X	O	X	X	X	X	X	X	X	X	X	X	O
10 x 18	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X	X	X	O	X	X	X	X	X	X	X	X	X	X	O
11 x 18	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X	X	X	O	X	X	X	X	X	X	X	X	X	X	O
8,5 x 19	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X	X	X	O	X	X	X	X	X	X	X	X	X	X	O
9,5 x 19	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X	X	X	O	X	X	X	X	X	X	X	X	X	X	O
10 x 19	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X	X	X	O	X	X	X	X	X	X	X	X	X	X	O
11 x 19	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X	X	X	O	X	X	X	X	X	X	X	X	X	X	O
8,5 x 20	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X	X	X	O	X	X	X	X	X	X	X	X	X	X	O

RDKS nur in Verbindung mit BBS-Ventil 0915094 Ø8mm verwendbar!

**LM (2tlg.) Forged**

7,5 x 17	X	O	O	X	X	X	X	X	O	O	X	O	X	X	X	O	O	X	X	X	O	O	X	X	O	O	X	X	X	X	X	X	X	X	O	
8,5 x 18	X	O	O	X	X	X	X	X	O	O	X	O	X	X	X	O	O	X	X	X	O	O	X	X	O	O	X	X	X	X	X	X	X	X	X	O
9 x 18	X	O	O	X	X	X	X	X	O	O	X	O	X	X	X	O	O	X	X	X	O	O	X	X	O	O	X	X	X	X	X	X	X	X	X	O
10 x 18	X	O	O	X	X	X	X	X	O	O	X	O	X	X	X	O	O	X	X	X	O	O	X	X	O	O	X	X	X	X	X	X	X	X	X	O
11 x 18	X	O	O	X	X	X	X	X	O	O	X	O	X	X	X	O	O	X	X	X	O	O	X	X	O	O	X	X	X	X	X	X	X	X	X	O
8,5 x 19	X	O	O	X	X	X	X	X	O	O	X	O	X	X	X	O	O	X	X	X	O	O	X	X	O	O	X	X	X	X	X	X	X	X	X	O
9,5 x 19	X	O	O	X	X	X	X	X	O	O	X	O	X	X	X	O	O	X	X	X	O	O	X	X	O	O	X	X	X	X	X	X	X	X	X	O
10 x 19	X	O	O	X	X	X	X	X	O	O	X	O	X	X	X	O	O	X	X	X	O	O	X	X	O	O	X	X	X	X	X	X	X	X	X	O
11 x 19	X	O	O	X	X	X	X	X	O	O	X	O	X	X	X	O	O	X	X	X	O	O	X	X	O	O	X	X	X	X	X	X	X	X	X	O
8,5 x 20	X	O	O	X	X	X	X	X	O	O	X	O	X	X	X	O	O	X	X	X	O	O	X	X	O	O	X	X	X	X	X	X	X	X	X	O

Ventiloch: Ø11,3mm

**Super RS (2tlg.) Forged**

8,5 x 19	O	O	O	X	X	X	X	X	O	O	X	X	X	X	X	O	O	X	X	X	O	O	X	X	X	O	O	X	X	X	X	X	X	X	O	
8,5 x 20	O	O	O	X	X	X	X	X	O	O	X	X	X	X	X	O	O	X	X	X	O	O	X	X	X	O	O	X	X	X	X	X	X	X	X	O





**TPMS - fitment guide**

The listed TPMS sensors with metal valves are approved for the shown alloy wheels.  
Snap-in valves (rubber valves) are not approved!

The mounting instructions of the TPMS system have to be respected!

\*Useability of the VDO REDI-Sensor depends on the tire not on the rim contour! More technical information can be found under [www.vdo.de](http://www.vdo.de)



TPMS approved	O
TPMS not approved	X

Date: 10.05.2019/Widua

Manufacturer	Original Equipment Manufacturer Sensors (OEM)																Aftermarket Sensors																	
	Schrader								VDO				Pacific				Alligator				HUF										CUB	Schrader	Schrader	VDO
Name	SEL Gen2/ Gen3	SEL Gen2/ Gen3	SEL Gen2/ Gen3	SEL Gen Alpha 2	SEL Gen J	SEL Gen Gamma	SEL Gen Delta	SEL clamp-in GEN4	TG1C	TG1B	TG1MB	Toyota/ Lexus	42607-30060 Toyota/ Lexus	40700-1LA00 Nissan	40700-1L10C Nissan	RS3 sens. It 43mm	RS3 sens. It 48mm	RS3 sens. It 49mm	RS3 sens. It 51mm	BBS Ventil Ø8mm	TYP 2.4 43mm	TYP 2.4 48mm	TYP 2.4 49mm	TYP 2.4 51mm	BBS Ventil Ø8mm	TYP 3.4 43mm	TYP 3.4 48mm	TYP 3.4 49mm	TYP 3.4 51mm	BBS Ventil Ø8mm	UNI SENSOR	EZ Typ 2000 clamp-in bis KW35/14	EZ Typ 2020 clamp-in ab KW35/14	REDI Sensor*
Specialty	Angle 10° conical gasket	Angle 20° thicker gasket	Angle 20° conical gasket	Angle adjust-able	Angle not adjust-able	Angle adjust-able	Angle adjust-able	Angle not adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle not adjust-able	Angle not adjust-able	Angle not adjust-able	Angle not adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle adjust-able	Angle not adjust-able	Angle not adjust-able	Sensor is stuck in the tire
Order number	3043	3004	3040	3015	3055	3013	3057	3024	TPMS application-area www.vdo.de	TPMS application-area www.vdo.de	TPMS application-area www.vdo.de	unknown	42607-30060	40700-1LA00	40700-1L10C	Sensor: 590914 Valve: 590906	Sensor: 590914 Valve: 590307	Sensor: 590914 Valve: 590387	Sensor: 590914 Valve: 590357	BBS-Valve: 0915094	100108	Sensor: 100108 Valve: 100074	Sensor: 100108 Valve: 100075	Sensor: 100108 Valve: 100301	BBS-Valve 0915094	100053	Sensor: 100053 Valve: 100074	Sensor: 100053 Valve: 100075	Sensor: 100053 Valve: 100301	BBS-Valve 0915094	si: V562U0035 sw: V562U0038	EZ-Sensor: 2000	EZ-Sensor: 2020	REDI-V1: S180211001Z REDI-V1.1: S180211011Z REDI-V2: S180211002Z REDI-V3: S180211003Z
Sensor number	1	2	3	4	5	6	7	8	20	21	22	40	41	42	43	100	101	102	103	104	110	111	112	113	114	120	121	122	123	124	130	140	141	150

**CH FlowForming**



7,5 x 17	X	X	X	X	O	O	O	O	O	X	X	O	X	X	O	X	O	O	X	X	X	X	O	X	X	X	X	O	X	X	O	X	X	O	O	O
8,5 x 17	X	X	X	X	O	O	O	O	O	X	X	O	X	X	O	X	O	O	X	X	X	X	O	X	X	X	X	O	X	X	O	X	X	O	O	O
8 x 18	O	O	O	X	O	O	O	O	O	O	O	O	X	O	O	O	X	O	X	X	O	X	O	X	X	X	O	X	X	O	X	X	O	O	O	
8,5 x 18	X	X	X	X	O	O	O	O	O	X	X	O	X	X	O	O	X	O	X	X	X	X	O	X	X	X	X	O	X	X	O	X	X	O	O	O
10 x 18	X	X	X	X	O	O	O	O	O	X	X	O	X	X	O	O	X	O	X	X	X	X	O	X	X	X	X	O	X	X	O	X	X	O	O	O
8 x 19	O	O	O	X	O	O	O	O	O	O	O	O	X	O	O	O	X	O	X	X	O	X	O	X	X	X	O	X	X	O	X	X	O	O	O	
8,5 x 19	X	X	X	X	O	O	O	O	O	X	X	O	X	X	O	O	X	O	X	X	X	X	O	X	X	X	X	O	X	X	O	X	X	O	O	O
10 x 19	X	X	X	X	O	O	O	O	O	X	X	O	X	X	O	O	X	O	X	X	X	X	O	X	X	X	X	O	X	X	O	X	X	O	O	O

**FlowForming**



8 x 18	O	O	O	X	O	O	O	O	O	O	O	O	X	O	O	O	X	O	X	X	O	X	O	X	X	O	X	X	O	X	X	O	O	O		
8,5 x 18	X	X	X	X	O	O	O	O	O	X	X	O	X	X	O	O	X	O	X	X	X	X	O	X	X	X	X	O	X	X	O	X	X	O	O	O
10 x 18	X	X	X	X	O	O	O	O	O	X	X	O	X	X	O	O	X	O	X	X	X	X	O	X	X	X	X	O	X	X	O	X	X	O	O	O
8 x 19	O	O	O	X	O	O	O	O	O	O	O	O	X	O	O	O	X	O	X	X	O	X	O	X	X	X	O	X	X	O	X	X	O	O	O	
8,5 x 19	X	X	X	X	O	O	O	O	O	X	X	O	X	X	O	O	X	O	X	X	X	X	O	X	X	X	X	O	X	X	O	X	X	O	O	O
10 x 19	X	X	X	X	O	O	O	O	O	X	X	O	X	X	O	O	X	O	X	X	X	X	O	X	X	X	X	O	X	X	O	X	X	O	O	O

**Design Line**

**XA Low-pressure Casting**



8,5 x 18	O	X	X	X	X	O	O	O	O	O	O	X	X	O	O	O	O	X	X	X	O	O	X	X	X	O	O	O	X	X	O	O	O	O	
8,5 x 19	O	X	X	X	O	O	O	O	O	O	O	O	O	O	O	O	O	X	X	X	O	O	O	O	X	X	O	O	O	X	X	O	O	O	O
8,5 x 20	O	X	X	X	O	O	O	O	O	O	O	O	O	O	O	O	X	X	X	O	O	O	X	X	X	O	O	O	O	O	O	O	O	O	O
9,5 x 20	O	X	X	X	O	O	O	O	O	O	O	O	O	O	O	O	X	X	X	O	O	O	X	X	X	O	O	O	O	O	O	O	O	O	O

**SR Low-pressure Casting**



7 x 16	O	X	X	X	O	O	O	O	O	X	X	X	O	O	O	O	X	X	X	X	X	X	X	X	X	O	O	O	X	X	O	O	O	O	
7,5 x 17	O	O	O	O	O	O	O	O	O	O	O	O	X	O	O	O	O	X	X	X	O	O	O	X	X	X	O	O	O	X	X	O	O	O	O
8 x 17	O	X	X	X	O	O	O	O	O	O	O	O	X	O	O	O	O	X	X	X	O	O	O	X	X	X	O	O	O	X	X	O	O	O	O
8 x 18	O	X	X	X	O	O	O	O	O	O	O	X	O	X	O	O	O	X	X	X	O	O	X	X	X	X	O	O	O	X	X	O	O	O	O
8 x 18P	O	X	X	X	O	O	O	O	O	O	O	X	O	X	O	O	O	X	X	X	O	O	X	X	X	X	O	O	O	X	X	O	O	O	O
9 x 18P	O	X	X	X	O	O	O	O	O	O	O	X	O	X	O	O	O	X	X	X	O	O	X	X	X	X	O	O	O	X	X	O	O	O	O
10 x 18P	O	X	X	X	O	O	O	O	O	O	O	X	X	O	X	O	O	X	X	X	O	O	X	X	X	X	O	O	O	X	X	O	O	O	O
8,5 x 19	O	X	X	X	O	O	O	O	O	O	O	O	O	O	O	O	O	X	X	X	O	O	O	O	X	X	O	O	O	X	X	O	O	O	O

**SX Low-pressure Casting**



7,5 x 17	O	X	X	X	O	O	O	O	O	O	O	X	O	O	O	O	O	X	X	X	O	O	O	X	X	O	O	O	X	X	O	O	O	O		
8 x 18	O	X	X	X	O	O	O	O	O	O	O	X	O	X	O	O	O	X	X	X	O	O	X	X	X	X	O	O	O	X	X	O	O	O	O	
8,5 x 19	O	O	X	X	O	O	O	O	O	O	O	O	X	O	O	O	O	X	X	X	O	O	X	X	X	X	O	O	O	X	X	O	O	O	O	
9 x 20	O	O	X	X	O	O	O	O	O	O	O	O	X	O	O	O	O	O	X	X	X	O	O	O	X	X	X	O	O	O	X	X	O	O	O	O

**CS Low-pressure Casting**



7,5 x 17	O	X	X	X	O	O	O	O	O	O	O	X	O	O	O	O	X	X	X	O	O	O	O	X	X	O	O	O	X	X	O	O	O	O	
8 x 18	O	X	X	X	O	O	O	O	O	O	O	O	O	O	O	O	O	X	X	X	O	O	X	X	X	X	O	O	O	X	X	O	O	O	O
8,5 x 19	O	X	X	X	O	O	O	O	O	O	O	O	O	O	O	O	O	X	X	X	O	O	X	X	X	X	O	O	O	X	X	O	O	O	O